



MOHAWK
manufactured with windpower





THE WINDPOWER MARK

Four different versions of the windpower mark are available:

- black, Pantone 306 (blue) + 382 (green)
- process colors (cyan, yellow, and black—four-color process printing)
 - grayscale
 - black



MOHAWK windpower 

ARRANGEMENTS

The windpower mark is available in three arrangements:

- centered and stacked
- flush left and stacked
- linear—which may be used flush left, centered or flush right. This is the preferred style for small sizes.

BLACK PANTONE 306 + 382



MOHAWK
manufactured with windpower

windpower_306_382-center_rev_R.eps



MOHAWK
manufactured with windpower

windpower_306_382-left_rev_R.eps

MOHAWK windpower

windpower_306_382-linear_rev_R.eps

PROCESS COLORS
(CYAN, YELLOW + BLACK)



MOHAWK
manufactured with windpower

windpower_4color-center_rev_R.eps



MOHAWK
manufactured with windpower

windpower_4color-left_rev_R.eps

MOHAWK windpower

windpower_4color-linear_rev_R.eps

GRAYSCALE



MOHAWK
manufactured with windpower

windpower_gray-center_rev_R.eps



MOHAWK
manufactured with windpower

windpower_gray-left_rev_R.eps

MOHAWK windpower

windpower_gray-linear_rev_R.eps

BLACK



MOHAWK
manufactured with windpower

windpower_black-center_rev_R.eps
windpower_black-center_rev_R.tif



MOHAWK
manufactured with windpower

windpower_black-left_rev_R.eps
windpower_black-left_rev_R.tif

MOHAWK windpower

windpower_black-linear_rev_R.eps
windpower_black-linear_rev_R.tif

FILES AVAILABLE

All files are prepared as Illustrator eps files (vector).

- no fonts are necessary
- eps files are scalable

Please note it is always preferable to use eps files when available.

For your convenience, the black marks are also supplied as tiff files. These files must not be used larger than the size supplied.



no smaller than .125 inches tall



stacked no smaller than .625 inches tall

MINIMUM SIZE USAGE

The linear mark—the cap height of the word Mohawk must be at least .125 inches.
The linear mark should have a minimum of white space around it the height of the word Mohawk.

Stacked mark—the entire mark should appear no smaller than .625 inches in height.
The stacked mark should have a minimum of white space around it the height of the the word Mohawk.

unt ut laoreet dolore magna aliquam erat
utpat. Ut wisi enim ad minim veniam, quis
strud exerci tation ullamcorper suscipit lobortis
l ut aliquip ex ea commodo consequat.

is autem vel eum iriure dolor in hendrerit in
putate velit esse molestie consequat, vel illum
lore eu feugiat nulla facilisis at vero eros et
umsan et iusto odio dignissim qui blandit
esent luptatum zzril delenit augue dui dolore
feugait nulla facilisi. Lorem ipsum dolor sit
et, consectetur adipiscing elit, sed diam non-
ummy nibh euismod tincidunt ut laoreet dolore
igna aliquam erat volutpat.

wisi enim ad minim veniam, quis nostrud
rxi tation ullamcorper suscipit lobortis nisl ut
quip ex ea commodo consequat. Duis autem vel
n iriure dolor in hendrerit in vulputate velit
e molestie consequat, vel illum dolore eu fe-
t nulla facilisis at vero eros et accumsan et iusto
io dignissim qui blandit praesent luptatum zzril
enit augue dui dolore te feugait nulla facilisi.

mazim placerat facer possim assum. Lorem ipsum
dolor sit amet, consectetur adipiscing elit, sed
diam nonummy nibh euismod tincidunt ut
laoreet dolore magna aliquam erat volutpat. Ut
wisi enim ad minim veniam, quis nostrud exerci
tation ullamcorper suscipit lobortis nisl ut aliquip
ex ea commodo consequat.

Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat, vel illum
dolore eu feugiat nulla facilisis.

Lorem ipsum dolor sit amet, consectetur adipisc-
ing elit, sed diam nonummy nibh euismod tin-
cidunt ut laoreet dolore magna aliquam erat
volutpat. Ut wisi enim ad minim veniam, quis
nostrud exerci tation ullamcorper suscipit lobortis
nisl ut aliquip ex ea commodo consequat.



This piece is printed on Mohawk Options, 100% PC White which is manufactured entirely
with Green-e certified wind-generated electricity.

ACCOMPANYING TEXT

The windpower mark must appear with accompanying explanatory text in a minimum of 6 point type.
This text should be positioned below the windpower mark per the sizing and spacing guidelines on the previous page.

SAMPLE TEXT:

This piece is printed on Mohawk, [*] which is manufactured entirely with Green-e certified wind-generated electricity.

*insert grade name